


### AMENDMENTS TO THE CLAIMS

Please replace all prior versions, and listings, of claims in the application with the following list of claims:

1. (Currently amended) A patch comprising a polyester backing, of which ultraviolet transmittance is not more than 2.0% under the condition of 3.0 mW/cm<sup>2</sup> of ultraviolet intensity, and a pressure-sensitive adhesive layer formed on one surface of the backing and containing a nonsteroidal anti-inflammatory drug (NSAID) wherein the backing contains a hydroxyphenylbenzotriazole derivative represented by the general formula(1):



wherein R<sub>1</sub> and R<sub>2</sub> are each independently ~~hydrogen or C<sub>1-8</sub> alkyl~~ C<sub>1-4</sub> alkyl; and X is ~~halogen atom~~ chlorine.

2. (Currently amended) The patch according to claim 1, wherein the backing further contains ~~further~~ titanium oxide.

3. (Cancelled)

4. (Previously presented) The patch according to claim 1, wherein the weight of the backing is 100g/m<sup>2</sup> - 130g/m<sup>2</sup>.

5. (Previously presented) The patch according to claim 1, wherein the nonsteroidal anti-inflammatory drug (NSAID) is ketoprofen.

6. (Previously presented) The patch according to claim 1, wherein the pressure-sensitive adhesive layer consists of a styrene-isoprene-styrene block polymer and/or polyisobutylene.

7. (Previously presented) The patch according to claim 1, wherein the pressure-sensitive adhesive layer contains no ultraviolet absorbent